

Ministerial Regulations

Specification of the facility of building for disable or deformed person and aged person BE 2548 (2005)

1. **Publication Date:** 8 June 2005

2. **Status of Legal:** Effective

3. **Related Types of Factory:**

- 1) It related with the factories that have factory from 1 - 21.

4. **Main Content:**

- 1) This ministerial regulation defines “Facility for disable or deformed person and aged person” “Elevator” “Tactile Surface” “Net Width”.
- 2) This ministerial regulation specifies the following type and character of building must provide the facility for disable or deformed person and aged person as identified in this ministerial regulation, such as hospital, clinic, public health center, health station, office, theatre, hotel, auditorium, stadium, shopping mall and department store.
- 3) Division of facility sign mentions about the sign of disable person, the sign of showing the way to facility, the sign or character showing the type of facility for disable or deformed person and aged person.
- 4) Division of ramp and elevator mentions about the character and surface of ramp, the net width, gradient, material, rail, the elevator for disable or deformed person and aged person, the size of elevator, doorway and button.
- 5) Division of stairway mentions about the net width, rail, surface and riser.
- 6) Division of parking area mentions about size of parking area and the arrangement to be near the entry and exit of the building.
- 7) Division of the entry of building, the transition walkway, the corridor, the wall or safety rail.
- 8) Division of door mentions about type of doors in several building, such as the door panel for pushing in and out, the door panel or door-pane is made of glass.
- 9) Division of toilet mentions about providing the toilet for disable or deformed person and aged person. The character of toilet shall be as following; the space inside toilet for wheel chair be able to turn around, the handrail on the wall, the washbasin, the height from ground to the upper edge of washbasin.
- 10) Division of tactile surface mentions about providing the tactile surface for person with vision disability in several cases.